

海风差速锁产品型号及应用车型

Chrysler or Jeep(克莱斯勒、北京 JEEP)

Vehicle or Model	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No.
CJ(5, 6, 7 & 8), YJ & TJ Wrangler, XJ Wagoneer, ZJ,WJ,Grand Cherokee 3,4 切诺基 4 缸、6 缸 牧马人 BJ2020VJ JEEP2400 JEEP2500 JEEP2700	Front	1971 on	Dana 30	29.5 (1.16")	27	3.73 & UP	RD100 or RD30
						3.54 & DN	RD101 or RD31
	REAR	1990on	Dana35 ¹ C-clip,XJ,YJ,ZJ,TJ,WJ	29.5(1.16")	27	2.73-3.31	RD103 or RD38 or RD68
						3.54&UP	RD102 or RD39 or RD69
		1997-00	Chrysler 8.25" dia. RG, C-clip	30.7 (1.21")	29	ALL	RD93
		To-1996	Chrysler 8.25" dia. RG, C-clip	29.5 (1.16")	27	ALL	RD112
		1997 on	Dana 44, TJ model only3	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
		1985-89	Dana35 ¹ ,non C-clip	29.5(1.16")	27	3.54&UP	RD102 or RD39 or RD69
						2.73-3.31	RD103 or RD38 or RD68
		1987-89	Dana44, Commanche truck	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
		1986-91	Dana 44, XJ wor metric ton package	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
		1969-75,86	Dana 44-3R	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117

Full size AMC Cherokee, Grand Wagoneer	Front	1974-93	Dana M44-1F	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
		1971- 73	Dana 30	29.5(1 16")	27	3.73 & UP	RD100 or RD30
						3.54 & DN	RD101 or RD31
	Rear	1986-93	Dana 44	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
		1969-79	Dana M44-3R	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
J10, Light Truck, FC150, 170, Honcho	Front	1971-88	Dana M44-1F	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
	Rear	1970-88	Dana M44-R	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
J20, Medium Truck, J30, Heavy Truck	Front	1970-88	Dana M44-1F	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
	Rear	1969-73	Dana M60-2R	38.1 (1.50")	35	4.56 & UP	RD35 or RD166
						4.10&DN	RD36 or RD167
JK Jeep Wrangler (not Rubicon models)	Front	2007 on	Dana 30	29.5 (1.16")	27	3.73 & UP	RD100 or RD30
						3.54 & DN	RD101 or RD31
	Rear	2007 on	Dana 44	33.3 (1.31")	30	All	RD07 or RD117
KJ,kk, Jeep Liberty, Cherokee	Front	2001 on	Dana 30 IFS	29.5 (1.16")	27	3.73 & UP	RD100 or RD30
						3.54 & DN	RD101 or RD31
	Rear	2001 on	Chrysler 8.25" dia. RG, C-clip	30.7(1.21")	29	All	RD93

Mitsubishi(三菱)

Vehicle or Model	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No.
Montero, Raider, Pajero, Delica (van) Shogun	Front	1989 on	IFS, 28 spline, 8.00" RG	28.8(1.13")	28	ALL	RD110
	REAR	1987-95	9.00" 12 bolt RG	30.5 (1.20")	28	ALL	RD46 or RD25
		1983-86	8.00" 10 bolt RG1				RD05
		1993-00	3.5L&2.8TDI,NJ,NK,NL,9.5"RG, live axle	35.5(1.40")	31		RD154
		2000 on	NM,NP,NS,NT 9.5"RG,IRS	35.5(1.40")	33		RD155
Challenger Montero Sport	Front	ALL	IFS, 28 spline	28.8(1.13")	28		RD110
	Rear	ALL	3.0L, 9.00" RG	30.5 (1.20")	28		RD46 or RD25
			3.5L, 9.50"RG	35.5(1.40")	31		RD154
			2.5L, 9.50"RG	35.5(1.40")	31		RD154
Triton, Pickup, L200	Front	ALL	IFS, 28 spline, 8.00" RG	28.8(1.13")	28		RD110
	Rear	ALL	9.00" RG	30.5 (1.20")	28		RD46 or RD25
		2002 on	9.50" RG	35.5(1.40")	31		RD154
四缸、六缸三菱 四缸、六缸猎豹 华泰吉田		ALL	9.00" RG	30.5 (1.20")	28		RD46 or RD25
北汽勇士							RD46

长城系列

Vehicle or Model	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No
塞弗	后桥	ALL			细牙	All	RD300
					粗牙		RD300-1
哈弗	后桥	All			细牙	All	RD301
皮卡	后桥	All			粗牙	All	RD300

Nissan (日产)

Vehicle or Model	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No
Frontier, Xterra, Navara Pickup (D21), Wagon	Front	1986-05	R200A, 6 cyl	30.4(1.20")	29	ALL	RD107 or RD27
	REAR	1986 on	H233B, 31 spline, 6 cyl.	32.0 (1.26")	31	ALL	RD78A or RD136 or RD09
			H233B, 33 spline, 6 cyl	33.3 (1.31")	33	ALL	Rd24 or RD135 or RD17
		1986-97	C200, 29 spline, 4 cyl	30.4(1.20")	29	ALL	RD107 or RD27
Pathfinder	Front	1986-05	R200A, 6 cyl	30.4(1.20")	29	ALL	RD107 or RD27
	REAR	1986-05	H233B, 31 spline, 6 cyl	32.0 (1.26")	31	ALL	RD78A or RD136 or RD09
	REAR	1986-05	H233B, 33 spline, 6 cyl	33.3 (1.31")	33	ALL	RD24 or RD135 or RD17
	Rear	1986-97	C200, 29 spline, 4 cyl	30.4(1.20")	29	ALL	RD107 or RD27
Y61, Patrol GU 途乐 Y61	Front	1998 on	H233B	32.0 (1.26")	31	ALL	RD78A or RD136 or RD09
	REAR	1998 on	H233B 'small'	33.3 (1.31")	33		RD24 or RD135 or RD17
Y60, Patrol GQ 途乐 Y60	Front	1988-98	H233B, 31 SPL	32.0 (1.26")	31	ALL	RD78A or RD136 or RD09
	REAR	1988-98	H233B, 33 SPL	33.3 (1.31")	33		RD24 or RD135 or RD17
160, Patrol MQ	Front	1979-88	C200	30.4(1.20")	29	ALL	RD107 or RD27
	Rear	1979-88	C200	30.4(1.20")	29	ALL	RD107 or RD27

Terrano II Wagon	REAR	1997 on	H233B	32.0 (1.26")	31	ALL	RD78A or RD136 or RD09
		2003on	H233B	33.3 (1.31")	33	ALL	RD24 or RD135 or RD17

Toyota or Lexus（丰田）

Vehicle or Model	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No
LandCruiser 71, 76, 78, 79, 100 & 105 Series Lexus LX470	Front	1998 on 1998 on	8" dia. RG, IFS, 50mm bearing ID Live axle suspension	33 (1.31") 33 (1.31")	30 30	All ALL	RD23 or RD01 or RD132
	Rear	1998 on	All models	34.8(1.37")	32	All	RD152
LandCruiser 215 Series	Rear	2007 on	All models	34.8(1.37")	32	All	RD152
LandCruiser Prado, 90, 120 and 150 series, Lexus GX	Rear	1996 on	8" dia. RG, 10 bolt	33 (1.31")	30	ALL	RD92 or RD131
LandCruiser 40, 55, 60, 62, 75, & 80 Series Lexus LX450	Front	To 1989	12 bolt, full floating	33 (1.31")	30	All	RD33 or RD142
		1990-97	10 bolt, full floating	33 (1.31")	30		RD23 or RD132 or RD01
	REAR	1969-76	12 bolt, semi floating, 45mm bearing ID	33 (1.31")	30	All	RD153 or RD124 or RD08
		1977-89	12 bolt, full floating, 45mm bearing ID				RD142 or RD02 or RD33
		1990-97	12 bolt, full floating, 50mm bearing ID				RD142 or RD02 or RD33
		1977-92	12 bolt, semi floating				RD153 or RD124 or RD08
	Front	ALL	10 bolt	33(1.31")	30		RD23-1
LandCruiser II	REAR	to 1985	10 bolt, 45mm bearing ID	33(1.31")	30		Rd23-1

LJ70, RJ70		1986 on	10 bolt, 50mm bearing ID	33(1.31")	30	ALL	RD23 or RD132 or RD01
HiLux, Pickup	Front	ALL	10 bolt, live axle	33(1.31")	30	ALL	RD23 -1
		To2005	7.5" dia. RG, 10bolt, IFS	28(1.1")	27	ALL	RD90
		2005 on	8" dia. RG IFS chamshell, 53mm BRNG	33(1.31")	30	3.91&UP	RD111
	Rear					3.73&DN	RD121
		To-1988	4 cylinder, 45mm bearing ID	33(1.31")	30	ALL	RD23-1
		1989- 05	All models, 50mm bearing ID				RD23 or D132 or RD01
		2005 on	Adjuster nut models, 50 or 53mm bearing ID	33(1.31")	30	ALL	RD23-4
4Runner, LN61, YN63	Front	ALL	10 bolt, live axle	33(1.31")	30	ALL	RD23-1
		To2003	7.5" dia. RG, 10bolt, IFS	28(1.1")	27	ALL	RD90-2
		2003 on	8" dia. RG IFS clamshell, 53mm BRNG	33(1.31")	30	3.91&UP	RD111-3
	Rear					3.73&DN	RD121-3
		1984-88	4 cylinder, 45mm bearing ID	33(1.31")	30	ALL	RD23-1
		1988-2010	V6, 4WD, 50mm bearing ID				RD23 or RD132 or RD01
		1988-2010	V6, 2WD, 45mm bearing ID				RD23-1
T100, Tacoma	Front	2004 on	8" dia. RG IFS clamshell, 53mm BRNG	33 (1.31")	30	3.91&UP	RD111
						3.73&DN	RD121
		To2004	7.5" dia. RG, 10bolt, IFS	28(1.1")	27	ALL	RD90
Tundra	Front	2005-07	8" dia. RG IFS clamshell, 53mm BRNG	33 (1.31")	30	3.91&UP	RD111
						3.73&DN	RD121
		To2004	7.5" dia. RG, 10bolt, IFS	28(1.1")	27	ALL	RD90
LandCruiser Prado, 90&120 Series, Lexus GX	Front	2003 on	8" dia. RG IFS clamshell, 53mm BRNG	33 (1.31")	30	3.91&UP	RD111
						3.73&DN	RD121
		1996-03	7.5" dia. RG, 10bolt, IFS	28(1.1")	27	ALL	RD90
	Rear	1996 on	8" dia. RG, 10 bolt	33 (1.31")	30	All	RD23 or RD132 or RD01
FJ Cruiser (US)	Front	2005 on	8" dia RG IFS clamshell, 53mm BRNG	33 (1.31")	30	3.91&UP	RD111
						3.72&DN	RD121
	Rear	2005 on	8" non-factory locker model	33 (1.31")	30	All	RD23 or RD132 or RD01

陆霸	后桥	All				All	RD23 or RD132 or RD01
中兴 SUV	后桥	All				All	RD23-1

Holden or Isuzu（五十铃）

VehicleorModel	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No
Isuzu Trooper Holden Jackaroo	Rear	1987-91	Turbo diesel & V6 petrol only	33.5 (1.32")	26	All	RD213 RD44
		1993-97	All models	33.5 (1.32")	26	All	RD213 RD44
Holden Rodeo Isuzu Pickup Opel Campo	Rear	1987-91	4x4 diesel & 4x2 diesel models	33.5 (1.32")	26	All	RD213 RD44
		1993 on	All models including 4x2	33.5 (1.32")	26	All	RD213 RD44
Holden FronteraorSport, Isuzu RodeoorSport, Isuzu Amigo, MU	Rear	1999 on	Dana 44	33.3 (1.31")	30	4.56 & UP	RD117
						4.13 & DN	RD117
Isuzu Axiom, Honda Passport	Rear	2001 on	Dana 44	33.3 (1.31")	30	4.56 & UP	RD117
						4.13 & DN	RD117

Suzuki（铃木）

VehicleorModel	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No
SierraorSamuraior Jimny Holden Drover Maranti Gypsy	Front	1998-03	Jimny model with 8 bolt RG	23.9(0.94")	22	ALL	RD77 or RD87or RD207
		2003on	Jimny model with 10 bolt RG				RD118or RD206
		1984-98	Leaf spring suspension				RD75 or RD73
SierraorSamuraior Jimny Holden Drover Maranti Gypsy	Rear	1984 on	1.3 litre models only	27.4(1.08")	26	ALL	RD88 or RD72
Jimny (Japan only) (JA11, JA12)	Front	1990-95	JA11,660cc turbocharged engines ONLY	23.9 (0.94")	22	ALL	RD87 or RD77 or RD207
	Rear	1990-98	JA11&JA12 ,660ccturbocharged engines	27.4(1.08")	26		RD88 or RD72

Vitara or Sidekick Grand Vitara, XL7	Front	1988-98	26 spline	27.4(1.08")	26	ALL	RD88 or RD72
			22 spline	23.9 (0.94")	22		RD75 or RD73
	Rear	1993-00	Suzuki 12 bolt RG	27.4(1.08")	26	All	RD209

Santana

VehicleorMode l	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No
PS300	Front		10 bolt RG (Suzuki Vitara type)	27.4 (1.08")	26	ALL	RD88 or RD72
PS350	Front		10 bolt RG (Suzuki Vitara type)	27.4 (1.08")	26	ALL	RD88 or RD72

Chevrolet or GMC or Hummer

VehicleorMode	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No
10or1500 Series, C, G, K, P, Blazer, Jimmy, Yukon, Suburban1, Vans	Front	To 1980	Dana M44, 3600lb	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
30or3500 Series, C, K, G, P, RV, Pickup, Suburban1, Rally, Sportvan	Front	1977-90	Dana 60HD	38.1 (1.50")	35	4.56 & UP	RD35 or RD166
						4.10 & DN	RD36 or RD167
	Rear	1975-86	Dana 60HD, full floating	38.1 (1.50")	35	4.56 & UP	RD35 or RD166
						4.10 & DN	RD36 or RD167
20or2500 Series, C, G, K, P, Cab Chassis, Pickup, Suburban1, Rally, Sportvan	Front	To 1980	Dana 44	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
	Rear	1975-77	Dana 60HD	38.1 (1.50")	35	4.56 & UP	RD35 or RD166

						4.10 & DN	RD36 or RD167
--	--	--	--	--	--	-----------	------------------

Dodge

VehicleorMode	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No
100, 150, 200, 250, A, B, D, W	Front	All	Dana 44, half ton truck	33.3 (1.31")	30	3.91 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
		1988-95& 1971-82	Dana 60HD, three quarter ton truck	38.1 (1.50")	35	4.56 & UP	RD35 or RD166
						4.10 & DN	RD36 or RD167
	Rear	1972-82	Dana 60	38.1 (1.50")	35	4.56 & UP	RD35 or RD166
						4.10 & DN	RD36 or RD167
Dakota V6, 1500or2500 Van	Rear	1997 on	Chrysler 8.25" dia. RG, C-clip	30.7 (1.21")	29	All	RD93
		to 1996	Chrysler 8.25" dia. RG, C-clip	29.5 (1.16")	27	All	RD112
300, 350, 400, B, C, M, W	Front	1976-95	Dana 60HD	38.1 (1.50")	35	4.56 & UP	RD35 or RD166
						4.10 & DN	RD36 or RD167
RAM 1500	Front	1994-03	Dana 44	33.3 (1.31")	30	3.91 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
RAM 2500, 3500	Front	1994-2002	Dana 60	38.1 (1.50")	35	4.56 & UP	RD35 or RD166
						4.10 & DN	RD36 or RD167

SsangYong(双龙)

Vehicle or Model	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No.
Musso or Rexton or Korando	Rear	1996 on	Dana 44, manual	33.3 (1.31")	30	4.55	RD06 or RD116
		1996 on	Dana 44, automatic	33.3 (1.31")	30	3.73	RD07 or RD117

Ford

Vehicle or Mode	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No
Maverick (Nissan Patrol GQ)	Front	All	H233B	32.0 (1.26")	31	All	RD78A or RD136 or RD09
	Rear	All	H233B		33	All	RD24 or RD135
F100 or 150 Pickup, E100 or 150 Van (2WD), Bronco	Front	1983-96	Dana 44, C-clip	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
		To 1982	Dana 44	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
	Rear	1977-79	Dana 44	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
F250 Pickup, E250 Van (2WD)	Front3	1983-96	Dana 44, C-clip	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
		To 1983	Dana 44	33.3 (1.31")	30	3.92 & UP	RD06 or RD116
						3.73 & DN	RD07 or RD117
		2000 on	Dana 60, full floating	38.1 (1.50")	35	4.56 & UP	RD35 or RD166
						4.10 & DN	RD36 or RD167
	Rear	1995-96	Dana 60, full floating			4.56 & UP	RD35 or RD166

				38.1 (1.50")	35	4.10 & DN	RD36 or RD167
		1981 on	Dana 60, semi floating (C-clip)			4.56 & UP	RD42 or RD168
						4.10 & DN	RD43 or RD169
F350 Pickup, E350 Van (2WD)	Front	1986 on	Dana 60	38.1 (1.50")	35	4.56 & UP	RD35 or RD166
F350 Pickup, E350 Van (2WD)	Front	1986 on	Dana 60	38.1 (1.50")	35	All	RD36 or RD167
	Rear	2000-2001	Dana 60 (dual rear wheel axle models)	38.1 (1.50")	35	4.56 & UP	RD35 or RD166
						4.10 & DN	RD36 or RD167
		1988 on	Dana 60, full floating	38.1 (1.50")	35	4.56 & UP	RD166 or RD35
						4.10 & DN	RD167 or RD36
F450or550 Pickup, Super Duty Van (2WD), EorF350 Dually	Front	1997 on	Dana 60	38.1 (1.50")	35	4.56 & UP	RD166 or RD35
						4.10 & DN	RD167 or RD36
Explorer,Ranger(US), Aerostar(2WD)	Front	1990-97	Dana35(V6 only)	29.5(1.16")	27	3.54&UP	RD102 or RD39 or RD69
						2.73-3.31	RD103 or RD38 or RD68

郑州日产

VehicleorModel	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No.
帕拉丁	Rear	All	4 缸				RD107 or RD27
			6 缸				RD24 or RD135
	Front		6 缸				RD78A or RD136
奥丁	Front	All	汽油				RD102 or RD39 or RD69

			柴油				RD103 or RD38 or RD68
	Rear	All	汽油				RD06 or RD116
			柴油				RD07 or RD117

Land Rover

Vehicle or Model	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No.
Range Rover	Front	1993-98	Rover type	31.5 (1.24")	24	3.54	RD56 or RD128
		1998-2006	Rover type,P38A				RD138 or RD57
	Rear	1993-98	Rover type	31.5 (1.24")	24	3.54	RD56 or RD128
		1998-2006	Rover type,P38A				RD138 or RD57
Discovery	Front	1993-98	Rover type	31.5 (1.24")	24	3.54	RD56 RD128
	Rear	1993-98	Rover type	31.5 (1.24")	24	3.54	RD56 or RD128
Discovery Series II	Front	All	Rover type	31.5 (1.24")	24	3.54	RD56 or RD128
	Rear	All	Rover type	31.5 (1.24")	24	3.54	RD56 or RD128
		2002 on	Rover type,P38A				RD138 or RD57
Defender 110, 130, County	Front	1993 on	Rover type	31.5 (1.24")	24	3.54	RD56 or RD128
	Rear	2002 on	Rover type	31.5 (1.24")	24	3.54	RD56 or RD128
			Rover type,P38A				RD138 or RD57
		1983-02	Salisbury type				RD161
LWB models V8 engine	Front	1979-83	Salisbury type	31.5 (1.24")	24	3.54	RD161
	Rear	1979-83	Salisbury type	31.5 (1.24")	24	3.54	RD161
Defender 90, County	Front	1993 on	Rover type	31.5 (1.24")	24	3.54	RD56 or RD128

	Rear	1993 on	Rover type	31.5 (1.24")	24	3.54	RD56 or RD128
		2002 on	Rover type,P38A				RD138 or RD57
Series III, Series II, Series I	Front	1948-85	Salisbury type	31.5 (1.24")	24	4.7	RD160
	Rear	1948-85	Salisbury type	31.5 (1.24")	24	4.7	RD160

Mazda

Vehicle or Model	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No.
Navajo(US)	Front	1990-94	Dana35	29.5(1.16")	27	3.54&UP	RD102 or RD39 or RD69
						2.73-3.31	RD103 or RD38 or RD68
B4000,Pickup(US)	Front	1993-94	Dana35	29.5(1.16")	27	3.54&UP	RD102 or RD39 or RD69
						2.73-3.31	RD103 or RD38 or RD68

Hyundai

Vehicle or Model	Axle Loc'n	Year	Description	Shaft Diameter	Shaft Spline	Ratio	OFF-ROAD Part No.
Terracan	Front	2001 on	All models	28.8(1.13")	28	ALL	RD110
Gallop or Galloper II	Front		All models	28.8(1.13")	28	ALL	RD110
	Rear		8.00" 10 bolt RG2	30.5 (1.20")	28	ALL	RD05
			9.00" 12 bolt RG3	30.5 (1.20")	28	ALL	RD46 or RD25

